


SECTION 4:

BARREL &

COMPONENTS




Cesco can manufacture barrels to suit all makes & models. For inquiries phone with details including :- make, model & serial number

Note that current barrel production suits ZF/Trasmittal/Sauer (ie European style) geared heads. For Japanese style geared heads, an adaptor plate is necessary. (refer page 4.3)



Barrels are available either Primed or Painted

CESCO (pressed) BLADE LAYOUT


Discharge
Opening







	PART NO.	DESCRIPTION
	016-505978	A-Blade – 3mm GR250 Top Cone (Discharge area) 2 required per barrel
	016-505979-4	B-Blade – 4mm GR250 Top Cone (Discharge area) 2 required per barrel
	016-505980-4	C-Blade – 4mm RHEEMALLOY Top Cone (Mix / Discharge area) 2 required per barrel.
	016-505981-4	D-Blade – 4mm RHEEMALLOY Centre band (Mix area) 3 required per 6M ³ barrel 4 required per 6.5 or 7M ³ barrel 5 required per 7.5M ³ barrel 6 required per 8M ³ barrel.
	016-505982-4	E-Blade - 4mm RHEEMALLOY Bottom Cone (Mix area) 2 required per barrel
	016-505983-4	F-Blade - 4mm RHEEMALLOY Bottom Cone (to dished end) (Mix area) 2 required per barrel






	PART NO.	DESCRIPTION
	017-506071	Adaptor Plate (Current Barrel to SKK, 10 hole) Cesco
	017-506072	Adaptor Plate (Current Barrel to DD33, 12 hole) Cesco

FORBES (rolled) BLADE LAYOUT



Dished End

	PART NO.	DESCRIPTION
	017-705931	<p>No 1 Blade Forbes</p> <p>Bottom Cone (to dished end) (Mix area)</p> <p>2 required per barrel.</p>
	017-705932	<p>No 2 Blade Forbes</p> <p>Bottom Cone (Mix area)</p> <p>2 required per barrel</p>
	017-705938	<p>X Blade Forbes</p> <p>Centreband (Mix area) fits between blades 2 & 3</p> <p>2 required per 6M³ Barrel 4 required per 7M³ Barrel</p>
	017-705933	<p>No 3 Blade Forbes</p> <p>Top Cone (Mix area)</p> <p>2 required per Barrel</p>

	<p>017-705934</p>	<p>No 4 Blade</p> <p>Top Cone (Mix/Discharge area)</p> <p>2 required per Barrel</p>
	<p>017-705935</p>	<p>No 5 Blade</p> <p>Top Cone (Mix area)</p> <p>2 required per barrel.</p>
	<p>017-705936</p>	<p>No 6 Blade</p> <p>Top Cone (Discharge area)</p> <p>2 required per Barrel.</p>
	<p>017-705937</p>	<p>No 7 Blade</p> <p>Top Cone (Discharge area)</p> <p>2 required per Barrel.</p>
	<p>017-705912</p>	<p>Blade Flight</p>