


SECTION 4:

BARREL &

COMPONENTS




Cesco can manufacture barrels to suit all makes & models. For inquiries phone with details including: - make, model & serial number

Note that current barrel production suits ZF/Transmittal/Sauer (ie European style) geared heads. For Japanese style geared heads, an adaptor plate is necessary. (refer page 4.3)

Barrels are available either Primed or Painted




CESCO (pressed) BLADE LAYOUT

Discharge
Opening




Cesco Blades

	PART NO.	DESCRIPTION	Weight and Dimensions	QR Code
	016-505978	Cesco A-Blade – 3mm GR250 Top Cone (Discharge area) 2 required per barrel	25.8KG	
	016-505979-4	Cesco B-Blade – 4mm GR250 Top Cone (Discharge area) 2 required per barrel	32.2KG	
	016-505980-4	Cesco C-Blade – 4mm RHEEMALLOY Top Cone (Mix / Discharge area) 2 required per barrel.	31.4KG	
	016-505981-4	Cesco D-Blade – 4mm RHEEMALLOY Centre band (Mix area) 3 required per 6M ³ barrel 4 required per 6.5 or 7M ³ barrel 5 required per 7.5M ³ barrel 6 required per 8M ³ barrel	25.76KG	
	016-505982-4	Cesco E-Blade - 4mm RHEEMALLOY Bottom Cone (Mix area) 2 required per barrel	18.96KG	
	016-505983-4	Cesco F-Blade - 4mm RHEEMALLOY Bottom Cone (to dished end) (Mix area) 2 required per barrel	17.76KG	

	PART NO.	DESCRIPTION	Weight and Dimensions	QR Code
	017-506071	Adaptor Plate (Current Barrel to SKK, 10 hole) Cesco	Diameter: 530mm	
	017-506072	Adaptor Plate (Current Barrel to DD33, 12 hole) Cesco	Diameter:530mm 26KG	










ATT/Mix. Aust - FORBES (rolled) BLADE LAYOUT



Dished End

ATT/Mixes Aust – FORBES - Blades

	PART NO.	DESCRIPTION	Weight and Dimensions	QR Code
	017-705931	<p>No. 1 Blade Forbes</p> <p>Bottom Cone (to dished end) (Mix area)</p> <p>2 required per barrel.</p>	<p>25KG-5mm 20KG-4mm</p>	
	017-705932	<p>No. 2 Blade Forbes</p> <p>Bottom Cone (Mix area)</p> <p>2 required per barrel</p>	<p>30KG-5mm 24KG-4mm</p>	
	017-705938	<p>X Blade Forbes</p> <p>Centreband (Mix area) fits between blades 2 & 3</p> <p>2 required per 6M³ Barrel 4 required per 7M³ Barrel</p>	<p>18KG-5mm 15KG-4mm</p>	
	017-705933	<p>No. 3 Blade Forbes</p> <p>Top Cone (Mix area)</p> <p>2 required per Barrel</p>	<p>30KG-5mm 24KG-4mm</p>	

	PART NO.	DESCRIPTION	Weight and Dimensions	QR Code
	017-705934	No. 4 Blade Top Cone (Mix/Discharge area) 2 required per Barrel	30KG-5mm 24KG-4mm	
	017-705935	No. 5 Blade Top Cone (Mix area) 2 required per barrel.	29.2KG-5mm 23.3KG-4mm	
	017-705936	No. 6 Blade Top Cone (Discharge area) 2 required per Barrel.	15.8KG-5mm 12.7KG-4mm	
	017-705937	No. 7 Blade Top Cone (Discharge area) 2 required per Barrel.	10.3KG-5mm 8.2KG-4mm	
	017-705912	Blade Flight	681*114*6 2.7KG	