

The Loadmaster





ST/	ANDARD LOADMASTER MIXER	OPTIONAL EXTRAS		
✓	Barrel with 8mm dished end	✓	Running board style guards	
✓	Frame including, chute rack, swivel chute, feed chute.	✓	2 nd Barrel colour – Company Logo and livery	
✓	All-in-one hydraulic oil tank and cooler.	✓	No ladder or Platform	
✓	Standard Gearbox, pump and motor	✓	Reverse camera	
✓	Ally sliding Ladder and platform	✓	Clear coat on barrel	
✓	Single rear step and grab handle drivers side	✓	Single step both sides	
✓	LED work light and tail lights	✓	Double step both sides	
✓	Plastic guards (Rear only)	✓	Triple step both sides	
✓	2 x steel frame poly lined extension chutes, 1 x 1/2 steel	✓	Full Placement chute	
	framed poly lined placement chute	✓	Ally framed chutes poly lined	
✓	Remote controls with transit mode	✓	Full ally chutes	
✓	Steel trunnion rollers with side mounted safety guards	✓	Full diff Mudflaps	
✓	Water meter and slump gauge	✓	Spray suppressant's	
✓	Double acting hydraulic ram	✓	Side intrusion	
✓	200L pressurised water system	✓	Swivel – feed chute Vibrator	
√	Painted in polyurethane paint – one colour barrel - one colour frame NO company LOGO	~	Chute raise and lower switch at rear	
✓	Removable inlet bridge			

Advances in design or improvements in materials are incorporated without delay, consequently we reserve the right to alter details given on this specification sheet without notice. Centre of gravity may vary depending on selected options.

The Loadmaster - Specification



Dimensions		6.5 m ³	7.6 m ³	8.0 m ³	9.0m ³				
Total Barrel Volume		10.1 m ³	12.2 m ³	13.1 m ³	13.8m ³				
Mixing Capacity to AS137	9 - 2007	6.5 m ³	7.6 m ³	8.0 m ³	9.0m ³				
Height to Feed Chute	(A)	2,410 mm	2,480 mm	2,530 mm	2,600 mm				
Height Overall	(B)	2,540 mm	2,620 mm	2,680 mm	2,720 mm				
Nominal Length on Truck	Chassis (C)	4,900 mm	5,100 mm	5,350 mm	5,840 mm				
Nominal Length Overall	(D)	5,400 mm	5,600 mm	5,850 mm	6,370 mm				
Centre of Gravity – estima	ated (E)	2,300 mm	2,620 mm	2,750 mm	2,998 mm				
Height of Centre of Gravit	y (approx.) (F)	947 mm	936 mm	966 mm	1010 mm				
Barrel Specification: Width									
Dished End 8mm High Tensile Reinfor		ed Width over Mudguards		2,460 mm					
Back Cone 4mr	n Rheemalloy High Te	nsile Outside Chassis Width		860 mm					
Nose Cone 4mr	n Rheemalloy High Te	nsile Standard Chassis Rails		100 x 76 x 5 RHS					
Mix Blades 4mr									
Cesco Australia Limited									
	l Office r Service Centre:	38 Goodman	Place Murarrie Qld 4172	Ph: 07 3908 6088 F: 07 3390 6898					
Melbourne: Mixe	bourne: Mixer Service Centre: 76-78 Hallam South Road Hallam Vic 39				B Ph: 03 9796 4977 F: 03 9796 4811				

Note: Specifications and mixer layout are for references only and subject to actual applications and components availability.

www.cescoaustralia.com