




Hydraulic Transit Mixer Mini



STANDARD MIXER	OPTIONS
<ul style="list-style-type: none"> ❖ Barrel with 6mm dished end ❖ Frame including feed chute, swivel chute ❖ Gearbox ❖ Pump and motor ❖ Poly guards ❖ 2 x poly extension chutes, 1 x poly placement chute ❖ Cable controls to rear and in cab ❖ Steel trunnion rollers ❖ Hydraulic chute jack ❖ 200L pressurised water system ❖ Painted in polyurethane paint – one colour barrel / frame ❖ Water meter ❖ Slump meter ❖ Single step drivers side ❖ Work light 	<ul style="list-style-type: none"> ❖ Remote controls ❖ 2 colour barrel ❖ Flip up feed chute – manual operation ❖ Flip up feed chute – hydraulic operation ❖ Mini ladder ❖ Single step passenger side ❖ Reverse camera

Advances in design or improvements in materials are incorporated without delay, consequently we reserve the right to alter details given on this specification sheet without notice. Operating weight and centre of gravity may vary depending on selected options.

Hydraulic Transit Mixer Mini



Dimensions		2.2 m ³	2.6 m ³	3.0 m ³	3.5 m ³
Total Barrel Volume		3.5 m ³	4.2 m ³	4.8 m ³	5.3
Mixing Capacity to AS1379 - 2007		2.2 m ³	2.6 m ³	3.0 m ³	3.5
Height to Feed Chute	(A)	1,693 mm	1,730 mm	1,830 mm	1,890mm
Height Overall	(B)	1,780 mm	1,840 mm	1,910 mm	1,973mm
Nominal Length on Truck Chassis	(C)	3,500 mm	3,800 mm	4,200 mm	4,511mm
Nominal Length Overall	(D)	3,860 mm	4,160 mm	4,550 mm	4,871mm
Centre of Gravity – estimated	(E)	1,329 mm	1,475 mm	1,660 mm	1,923mm
Height to Centre of Gravity (Approx.)	(F)	710 mm	735 mm	766 mm	810 mm
Barrel Specification:		Width			
Dished End	6mm High Tensile	Width over Mudguards		2130 – 2230mm	
Back Cone	4mm Rheemalloy	Outside Chassis Width		840 mm	
Nose Cone	4mm Rheemalloy	Standard Chassis Rails		75 x 75 x 4 RHS	
Mix Blades	4mm Rheemalloy				
Cesco Australia Limited					
Brisbane:	Head Office				
	Mixer Service Centre	38 Goodman Place Murarrie Qld 4172			Ph: 07 3908 6088 F: 07 3390 6898
Melbourne:	Mixer Service Centre:	76-78 Hallam South Road Hallam Vic 3903			Ph: 03 9796 4977 F: 03 9796 4811

Note: Specifications and mixer layout are for references only and subject to actual applications and components availability.